




# H4545 SERIES


## 4-1/2" x 4-1/2" Square Corner Hinges




US26D / Satin Chrome



USP / Prime Coat



US3 / Polished Brass



US32D / Satin Stainless Steel


### Standard Features

- **Performance** Complies with ANSI A156.1, 1999 (plain bearing and ball bearing)
- **Performance** Complies with ANSI A156.17, 1999, UL listed (spring hinge)
- **Hinge** 4-1/2" x 4-1/2", square corner, templated, .134" gauge steel.  
See below for pin and finish options.
- **Screws** Furnished with 24 metal screws and 24 #12 wood screws
- **Warranty** 1 year

### Optional Features

- **Pin** Ball Bearing & Non-removeable
- **Finishes** USP, US26D, US32D, US3, US10B
- **Note** Other finishes and sizes available upon request. Check for availability and lead time.
- **Gauge** Heavy-duty available in US26D finish, ball bearing, with either loose pin or non-removeable pin (NRP)

## How To Order H4545 Series



TELL MANUFACTURING, INC — Page 1 — 2012

CORPORATE OFFICE: 18 Richard Drive, Lititz, PA 17543 TOLL FREE: 800-433-4047 PHONE: 717-625-2990 FAX: 717-625-7095


OTHER LOCATIONS: HOUSTON, TEXAS ELKHART, INDIANA MIRA LOMA, CALIFORNIA

WEBSITE: [www.tellmfg.com](http://www.tellmfg.com)



# Aluminum Storefront

## FULL MORTISE HINGES



HG100045 — US32D / Satin Stainless Steel

HG100054 — DKB / Dark Brown

HG100062 — BLK / Black Powdercoat


### Standard Features

- **Performance** Complies with ANSI 156.1-2000
- **Hinge** Standard sizes 4-1/2" x 4"; standard weight stainless steel with stainless steel pin; standard with ball bearings; standard with 3/16" radius corners; templated
- **Screws** Furnished with AMS and 1/2 WS

### Optional Features

- **Pin** Five knuckle with button tip and plug.  
Loose pin and non-removable pin
- **Finishes** Standard finishes are US32D, DKB (Dark Brown), and Black powdercoat


## How To Order Full Mortise Hinges





# SPRING HINGE (Commercial)

4-1/2" x 4-1/2" Square Corner Hinges, Reversible, Fully Adjustable



## Full Mortise Type Template

| Size to FH Screws |             | Pieces Per Box | Pieces Per Carton |
|-------------------|-------------|----------------|-------------------|
| Machine           | Wood        | 1              | 48                |
| 1/2" x 12-24      | 1-1/4" x 12 |                |                   |

US26D / Satin Chrome

SH-140

4-1/2" X 4-1/2"

.134




### Standard Features

- **Performance** Complies with ANSI A156.17, 1999, UL listed (spring hinge)
- **Hinge** Templated, .134" gauge steel.
- **Screws** Furnished with 8 metal screws and 8 #12 wood screws
- **Warranty** 1 year

### Optional Features

- **Finishes** USP/Prime Coat, US26D/Satin Chrome, US4/Satin Brass, US3/Bright Brass
- **Material** Steel available
- **Note** Other finishes and sizes available upon request. Check for availability and lead time.


## How To Order Spring Hinges






# HINGE PIVOTS

## 4-1/2" x 4-1/2" Square Corner Hinges



**Left Hand - BZ / Bright Zinc**

HG100233




**Right Hand - BZ / Bright Zinc**

HG100234

### Standard Features

- **Butt Hinge Width** 4.5" x 4.5", square corners
- **Projection** 3/4" — projection from centerline of pivot to face of door
- **Door Thickness** 1-3/4"
- **Gauge** .187
- **Handing** Left hand or right hand
- **Machine Screws** 3/4 x 1/4-20
- **Wood Screws** 1-1/4 x 14
- **Warranty** 1 year warranty

### How To Order Hinge Pivots



**TELL MANUFACTURING, INC** — Page 4 — 2012

CORPORATE OFFICE: 18 Richard Drive, Lititz, PA 17543 TOLL FREE: 800-433-4047 PHONE: 717-625-2990 FAX: 717-625-7095

OTHER LOCATIONS: HOUSTON, TEXAS ELKHART, INDIANA MIRA LOMA, CALIFORNIA

WEBSITE: [www.tellmfg.com](http://www.tellmfg.com)